

The content in this preview is based on the last saved version of your email - any changes made to your email that have not been saved will not be shown in this preview.

CAPS 4.18 program improvements, new products and other highlights.

[Home](#) | [Sustainability](#) | [About Greenheck](#) | [Parts](#) | [Find My Rep](#) | [Careers](#) | [Contact Us](#)



Read below to find out more about the program improvements, new products and other highlights.

Program Improvements

- Added ability to copy/paste multiple marks from one job to another
- Tighter volume (cfm) tolerances on direct drive models – fewer, but better selections

New Products and Enhancements

Fans

- Vari-Green® motor expansion – 208, 230 and 277 volt on select horsepower's
- Centrifugal inline fan Model BSQ has a few housing dimension changes
- Bathroom exhaust fan Model SP with ceiling radiation damper has Warnock Hersey approval

Recorded Training:

[Click here](#) to learn how to use and update Revit content from within CAPS.

- Bathroom exhaust fan models SP & CSP, have an ASHRAE 62.2 controller available
- Sidewall propeller fans have pressure drops available for wall housings, weatherhoods, & dampers
- Direct drive models allow motor sizing at operating speed/hertz when used with VFDs
- UL-762 for restaurant exhaust available with CSW and PermaLock® housing – cost savings

Lab Exhaust

- New fume exhaust (pre-engineered fan stack) models USF-FE-200 and 300 are capable up to 5,000 cfm and 5-inches w.g. and are capable of 22 psf wind-load w/o guy wires
- Expanded Vektor-CH and Vektor-CS sizing offering
- Fan Monitoring System is now available as a stand-alone (w/o unit fan)

Dampers

- New UL Listed fire and combination fire smoke damper installation for horizontal mounting in non-concrete barriers
- New dynamic multi-blade airfoil fire damper, Model DFDAF-330 available in sizes up to 120 x 96
- New heavy-duty blast dampers, Models HBS-430 and HBS-431 is a double flange channel frame and qualified up to 15 psi
- Compact configuration option is on combination fire smoke and smoke dampers

Energy Recovery

- New Model ECV-10 (total energy core up to 1,000 cfm) for indoor or outdoor mounting. Optional Vari-Green® motors and optional bypass damper for economizer operation
- New options on models ERCH, ERT, RV, RVE
 - Piping vestibule option for ERT
 - Condensate overflow switch for products with packaged DX, split DX, chilled water cooling
 - Duct or room mounted carbon dioxide sensor options for fan or damper control
- Additional info for larger size packaged rooftop (RV-120 and RVE-120) – sound data, corner and curb weights, hot water with DX cooling

Make-Up Air Products

- New backward-curve, direct drive plenum fan Models DGX-P and MSX-P with factory VFD and is capable of 800 to 16000 cfm and up to 4 inches w.g.
- New coil sizing method, circuiting options, and electrofin coating now available
- New options models DGX, IGX and MSX; night setback, cooling lockout relay, 5 or 10yr burner warranty


Don't Have CAPS?

REGISTER NOW
AND GET CAPS
WORKING FOR
YOU TODAY!



CAPS is more than just a computerized selection program. It's menu driven software includes product descriptions, application information, dimensional drawings, detailed product performance for all products and as configured Revit and CAD drawings for many products.

REVIT®
AND



AUTOCAD® CONTENT

CAPS allows you to easily generate as-configured Revit® and CAD content which can save you time and money. When you make changes, simply re-export the Revit content and reload the Revit family and your information is updated.

**INSTALLATION PACKAGE
TARGETED FOR IT PERSONNEL**

The MSI installation package is intended, but not limited to the IT person. It has several advantages:

- Allows for deployment to multiple computers.
- Allows CAPS to run until IT

- Submittal updates – access side and module labels, starter info, KSFB/KSFD height dims, diffuser info, etc.

Kitchen Ventilation Systems

- Improved selection flow and reduced time to make selections
 - User defined defaults (hood material, supply airflow percent, fire system brand and type)
 - Ability to import performance selections from hood mark into fan mark
 - Airflow rates from hoods can be imported to fan and make-up air selections
- Standardized sizes for common appliances

Louvers

- New vertical blade wind driven rain Model EVH-501D has Florida Product Approved, is Miami-Dade Qualified and AMCA 540/550

A complete list of changes can be found on the CAPS Live page under Resources, *What's New in 4.18*.

updates your computer.

- Allows for installation for someone without Internet access.

Have these requirements? Contact the CAPS Technical Support at:
caps@greenheck.com.

CAPS Technical Support

- Live Chat: www.greenheck.com/account/login
- Email: caps@greenheck.com
- Toll free: 855.886.8324



Email Us | Call Us 715-359-6171 | Visit Us www.greenheck.com

Volume 3, Issue 3, September 10, 2015
©2015 Greenheck Fan Corporation
Greenheck • PO Box 410 • Schofield, WI 54476 • 715.359.6171



[Forward email](#)



This email was sent to pete@digi-dial.com by emailmarketing@greenheck.com | [Update Profile/Email Address](#) | Rapid removal with [SafeUnsubscribe™](#) | [About our service provider](#).

Greenheck | PO Box 410 | Schofield | WI | 54476